



THE WILDLIFE SOCIETY
NUTRITIONAL ECOLOGY WORKING GROUP



**FOUNDATIONAL PAPERS AND RELEVANT
LITERATURE IN WILDLIFE NUTRITION
VERSION 2 – NOVEMBER 2023**

FOUNDATIONAL PAPERS

- Demment, M. W., and P. J. Van Soest. 1985. A nutritional explanation for body-size patterns in ruminant and non-ruminant herbivores. *American Naturalist* 125:641-672.
<https://doi.org/10.1086/284369>
- Monteith, K. L., Bleich, V. C., Stephenson, T. R., Pierce, B. M. Conner, M. M., Kie, J. G., Bowyer, R. T. 2014. Life-history characteristics of mule deer: effects of nutrition in a variable environment. *Wildlife Monographs* 186: 1–61. <https://doi.org/10.1002/wmon.1011>
- Parker, K. L., P. S. Barboza, and M. P. Gillingham. 2009. Nutrition integrates environmental responses of ungulates. *Functional Ecology* 23:57-69. <https://doi.org/10.1111/j.1365-2435.2009.01528.x>
- Provenza, F. D. 1995. Postingestive feedback as an elementary determinant of food preference and intake in ruminants. *Journal of Range Management* 48:2-17.
<https://repository.arizona.edu/handle/10150/644441>
- Raubenheimer, D., S.J. Simpson, and D. Mayntz. 2009. Nutrition, ecology, and nutritional ecology: toward an integrated framework. *Functional Ecology* 23:4-16.
<https://doi.org/10.1111/j.1365-2435.2009.01522.x>
- Searle, K. R., N. T. Hobbs, and I. J. Gordon. 2007. It's the "foodscape", not the landscape: using foraging behavior to make functional assessments of landscape condition. *Israel Journal of Ecology and Evolution* 53:297-316. <https://doi.org/10.1560/IJEE.53.3.297>

NUTRITIONAL ECOLOGY AND PHYSIOLOGY

- Barboza, P.S., K.L. Parker, I.D. Hume. 2009. Integrative Wildlife Nutrition.
<https://link.springer.com/book/10.1007/978-3-540-87885-8>

<https://wildlife.org/newq/>

- Cook, J.G., L.L. Irwin, L.D. Bryant, R.A. Riggs, and J.W. Thomas. 1998. Relations of forest cover and condition of elk: a test of the thermal cover hypothesis in summer and winter. *Wildlife Monographs* 141. <https://www.jstor.org/stable/3830857?seq=1>
- Cook, J.G. 2002. Nutrition and food. Pages 259–349 in E.D. Toweill and J.W. Thomas, editors. *North American Elk: Ecology and management*. Smithsonian Institution Press, Washington, D.C, USA. <https://wildlifemanagement.institute/store/product/73>
- Cook, J. G., B. K. Johnson, R. C. Cook, R. A. Riggs, T. Delcurto, L. D. Bryant, and L. L. Irwin. 2004. Effects of summer-autumn nutrition and parturition date on reproduction and survival of elk. *Wildlife Monographs* 155: 1-61.
<https://wildlife.onlinelibrary.wiley.com/toc/19385455/2004/155/1>
- Drent, R.H. and S. Daan. 1980. The prudent parent: energetic adjustments in avian breeding. *Ardea* 68:225-252. <https://doi.org/10.5253/arde.v68.p225>
- Feder, M.E., and B.A. Block. 1991. On the future of animal physiological ecology. *Functional Ecology* 5:136-144. <https://doi.org/10.2307/2389251>
- Harder, J.D., and R.L. Kirkpatrick. 1994. Physiological methods in wildlife research. Pages 275–306 in T.A. Bookhout, editor. *Research and Management techniques for wildlife and habitats*. Fifth edition. The Wildlife Society, Bethesda, Maryland, USA.
- Hudson, R.J. and R.G. White. 1985. *Bioenergetics of Wild Herbivores*.
<https://doi.org/10.1201/9781351070218>
- Karasov, W.H. and S. R. McWilliams. 2005. Digestive constraints in mammalian and avian ecology. Pp. 87-112, In: J.M. Starck and T. Wang (eds). *Physiological and ecological adaptations to feeding in vertebrates*. Science Publishers Inc., Enfield, New Hampshire.
- Karasov, W.H. and I. Hume. 1997. Vertebrate gastrointestinal system. In: Dantzler, W. (ed.) *Handbook of physiology section 12: comparative physiology*. New York, NY: Oxford University Press.
- Karasov, W.H, and C. Martinez del Rio. 2007. *Physiological ecology: how animals process energy, nutrients, and toxins*. Princeton University Press, N.J.
<https://press.princeton.edu/books/hardcover/9780691074535/physiological-ecology>
- Klasing, K.C. 1998. *Comparative avian nutrition*. CAB International, N.Y.
<https://www.cabi.org/bookshop/book/9780851992198/>
- McWilliams, S.R., E. Adkins-Regan, and C. Vleck. 2016. Bird physiology. Pp. 215-264. In: I.J. Lovette, J. Fitzpatrick, Eds. *Handbook of Bird Biology*, 3rd edition. Cornell Lab of Ornithology, Cornell University: John Wiley & Sons, Ltd, U.K.
<https://academy.allaboutbirds.org/textbook/>
- Parker, K. L. 2003. Advances in the nutritional ecology of cervids at different scales. *EcoScience* 10:395-411. <https://doi.org/10.1080/11956860.2003.11682788>
<https://wildlife.org/newq/>

- Parker, K. L., P. S. Barboza, and M. P. Gillingham. 2009. Nutrition integrates environmental responses of ungulates. *Functional Ecology* 23:57-69. <https://doi.org/10.1111/j.1365-2435.2009.01528.x>
- Raubenheimer, D., S.J. Simpson, and D. Mayntz. 2009. Nutrition, ecology, and nutritional ecology: toward an integrated framework. *Functional Ecology* 23:4-16. <https://doi.org/10.1111/j.1365-2435.2009.01522.x>
- Raubenheimer, D., S.J. Simpson, and A.H. Tait. 2012. Match and mismatch: conservation physiology, nutritional ecology and the timescales of biological adaptation. *Philosophical Transactions of the Royal Society B: Biological Sciences* 367(1596): 1628-1646. <https://doi.org/10.1098/rstb.2012.0007>
- Robbins, C. T. 1994. *Wildlife Feeding and Nutrition*. <https://www.elsevier.com/books/wildlife-feeding-and-nutrition/robbins/978-0-08-057162-1>
- Shipley L.A., R.C. Cook, and D.G. Hewitt. 2020. Techniques for wildlife nutritional ecology. Pages 439–482 in N.J. Silvy (Ed.), *The Wildlife Techniques Manual*. Volume 1, Research Methods, eighth edition., John Hopkins University Press, Baltimore, MD, USA. <https://jhupbooks.press.jhu.edu/title/wildlife-techniques-manual>
- Skip, M., S.R. McWilliams. 2016. Oxidative balance in birds: an atoms-to-organisms-to-ecology primer for ornithologists. *J. Field Ornithology* 87:1-20. <https://doi.org/10.1111/jofo.12135>
- Spalinger, D. E., W. B. Collins, T. A. Hanley, N. E. Cassara, and A. M. Carnahan. 2010. The impact of tannins on protein, dry matter, and energy digestion in moose (*Alces alces*). *Canadian Journal of Zoology* 88:977–987. <https://doi.org/10.1139/Z10-064>
- Tollefson, T.N., L.A. Shipley, W.L. Myers, D.H. Keisler, and N. Dasgupta. 2010. Influence of summer and autumn nutrition on body condition and reproduction in lactating mule deer. *Journal of Wildlife Management* 74(5): 974–986. <https://doi.org/10.2193/2008-529>

FORAGE ECOLOGY AND FOOD INTAKE

- Carter, W., U. Bauchinger, S.R. McWilliams. 2019. The importance of isotopic turnover for understanding key aspects of animal ecology and nutrition. *Diversity* 11:1-20. <https://doi.org/10.3390/d11050084>
- Cook, J.G., R.C. Cook, R.W. Davis, L.L. Irwin. 2016. Nutritional ecology of elk during summer and autumn in the Pacific Northwest. *Wildlife Monographs* 195(1): 1–81. <https://doi.org/10.1002/wmon.1020>
- Farley, S. D., and C. T. Robbins. 1995. Lactation, hibernation, and mass dynamics of American

<https://wildlife.org/newq/>

- black bears and grizzly bears. *Canadian Journal of Zoology* 73:2216–2222.
<https://doi.org/10.1139/z95-262>
- Farley, S. D., and C. T. Robbins. 1997. Validation of 22 sodium to estimate food intake of bears. *The Journal of Wildlife Management* 61:52. <https://doi.org/10.2307/3802413>
- Gillingham, M. P., K. L. Parker, and T. A. Hanley. 1997. Forage intake by large herbivores in a natural environment: bout dynamics. *Canadian Journal of Zoology* 75:1118–1128.
<https://doi.org/10.1139/z97-134>
- Gross, J. E., N. T. Hobbs, and B. A. Wunder. 1993. Independent variables for predicting intake rate of mammalian herbivores: biomass density, plant density, or bite size? *Oikos* 68:75–81. <https://doi.org/10.2307/3545311>
- Gross, J. E., L. A. Shipley, N. T. Hobbs, D. E. Spalinger, and B. A. Wunder. 1993. Functional response of herbivores in food-concentrated patches: tests of a mechanistic model. *Ecology* 74:778–791. <https://doi.org/10.2307/1940805>
- Hamel, S., and S. D. Côté. 2009. Foraging decisions in a capital breeder: trade-offs between mass gain and lactation. *Oecologia* 161:421–432. <https://doi.org/10.1007/s00442-009-1377-y>
- Hanley, T. A., C. T. Robbins, A. E. Hagerman, and C. McArthur. 1992. Predicting digestible protein and digestible dry matter in tannin-containing forages consumed by ruminants. *Ecology* 73:537–541. <https://doi.org/10.2307/1940759>
- Hobbs, N. T., J. E. Gross, L. A. Shipley, D. E. Spalinger, and B. A. Wunder. 2003. Herbivore functional response in heterogeneous environments: a contest among models. *Ecology* 84:666–681. [https://doi.org/10.1890/0012-9658\(2003\)084\[0666:HFRIHE\]2.0.CO;2](https://doi.org/10.1890/0012-9658(2003)084[0666:HFRIHE]2.0.CO;2)
- Kie, J. G. 1999. Optimal foraging and risk of predation: effects on behavior and social structure in ungulates. *Journal of Mammalogy* 80:1114–1129. <https://doi.org/10.2307/1383163>
- Lambert, J. E., and J. M. Rothman. 2015. Fallback foods, optimal diets, and nutritional targets: primate responses to varying food availability and quality. *Annual Review of Anthropology* 44: 493–512. <https://doi.org/10.1146/annurev-anthro-102313-025928>
- Langlois, L. and S.R. McWilliams. 2010. Protein requirements of an omnivorous and granivorous songbird decrease during migration. *The Auk* 127:850–862.
<https://doi.org/10.1525/auk.2010.10068>

- McArt, S. H., D. E. Spalinger, W. B. Collins, E. R. Schoen, T. Stevenson, and M. Bucho. 2009. Summer dietary nitrogen availability as a potential bottom-up constraint on moose in south-central Alaska. *Ecology* 90:1400-1411. <https://doi.org/10.1890/08-1435.1>
- McWilliams, S.R. and W.H. Karasov. 2014. Spare capacity and phenotypic flexibility in the digestive system of a migratory bird: defining the limits of animal design. *Proceedings of the Royal Society B* 281:1-9. <https://doi.org/10.1098/rspb.2014.0308>
- Minson, D. J., and J. Wilson. 1994. Prediction of intake as an element of forage quality. Pages 533-563 in Fahey, G. C. (ed.) *Forage quality, evaluation, and utilization*. <https://doi.org/10.2134/1994.foragequality.c13>
- Moore, B. D., and W.J. Foley. 2005. Tree use by koalas in a chemically complex landscape. *Nature* 435(7041): 488-490. <https://doi.org/10.1038/nature03551>
- Parker, K. L., M. P. Gillingham, T. A. Hanley, and C. T. Robbins. 1999. Energy and protein balance of free-ranging black-tailed deer in a natural forest environment. *Wildlife Monographs* 143:1-48. <https://www.jstor.org/stable/3830815>
- Rominger, E. M., C. T. Robbins, and M. A. Evans. 1996. Winter foraging ecology of woodland caribou in northeastern Washington. *Journal of Wildlife Management* 60:719-728. <https://doi.org/10.2307/3802370>
- Rothman, J. M., E. S. Dierenfeld, H. F. Hintz, and A. N. Pell. 2008. Nutritional quality of gorilla diets: consequences of age, sex, and season. *Oecologia* 155: 111-122. <https://doi.org/10.1007/s00442-007-0901-1>
- Rothman, J. M., C.A. Chapman, and P.J. Van Soest. 2012. Methods in primate nutritional ecology: a user's guide. *International Journal of Primatology* 33: 542-566. <https://doi.org/10.1007/s10764-011-9568-x>
- Searle, K. R., N. T. Hobbs, and I. J. Gordon. 2007. It's the "foodscape", not the landscape: using foraging behavior to make functional assessments of landscape condition. *Israel Journal of Ecology and Evolution* 53:297-316. <https://doi.org/10.1560/IJEE.53.3.297>
- Shipley, L. A. 2007. The influence of bite size on foraging at larger spatial and temporal scales by mammalian herbivores. *Oikos* 116:1964–1974. <https://doi.org/10.1111/j.2007.0030-1299.15974.x>

- Shipley, L. A., and D. E. Spalinger 1992. Mechanics of browsing in dense food patches: effects of plant and animal morphology on intake rate. *Canadian Journal of Zoology* 70:1743–1752. <https://doi.org/10.1139/z92-242>
- Spalinger, D.E., and N.T. Hobbs. 1992. Mechanisms of foraging in mammalian herbivores: new models of functional response. *American Naturalist* 140: 325–348. <https://doi.org/10.1086/285415>
- Trudell, J., and R. G. White. 1981. The effect of forage structure and availability on food intake, biting rate, bite size and daily eating time of reindeer. *Journal of Applied Ecology* 18:63-81. <https://doi.org/10.2307/2402479>
- White, R.G. 1983. Foraging patterns and their multiplier effects on productivity of northern ungulates. *Oikos* 40:377-384. <https://doi.org/10.2307/3544310>
- Wickstrom, M. L., C. T. Robbins, T. A. Hanley, D.E. Spalinger, and S.M. Parrish. 1984. Food intake and foraging energetics of elk and mule deer. *Journal of Wildlife Management* 18:1285-1301. <https://doi.org/10.2307/3801789>

FORAGE-QUALITY ANALYSES

- Cook, R. C., L. A. Shipley, J. G. Cook, M. J. Camp, D. S. Monzingo, S. L. Robotcek, S. L. Berry, I. T. Hull, W. L. Myers, K. Denryter, and R. A. Long. 2022. Sequential detergent fiber assay results used for nutritional ecology research: Evidence of bias since 2012. *Wildl. Soc. Bull.* 46(4): 1–26. <https://doi.org/10.1002/wsb.1348>
- Hagerman, A.E. 2011. *Tannin Handbook*. Miami University, Oxford OH
www.users.muohio.edu/hagermae/
- Hanley, T. A., C. T. Robbins, A. E. Hagerman, and C. McArthur. 1992. Predicting digestible protein and digestible dry matter in tannin-containing forages consumed by ruminants. *Ecology* 73:537–541. <https://doi.org/10.2307/1940759>
- Martin, J. S., and M. M. Martin. 1983. Tannin assays in ecological studies: precipitation of Ribulose-1,5-bisphosphate carboxylase/oxygenase by tannic acid, quebracho, and oak foliage extracts. *Journal of Chemical Ecology* 9:285–294. <https://doi.org/10.1007/BF00988046>
- Robbins, C. T., T. A. Hanley, A. E. Hagerman, O. Hjeljord, D. L. Baker, C. C. Schwartz, and W. W. Mautz. 1987a. Role of tannins in defending plants against ruminants: reduction in protein availability. *Ecology* 68:98–107. <https://doi.org/10.2307/1938809>
- Robbins, C. T., S. Mole, A. E. Hagerman, and T. A. Hanley. 1987. Role of tannins in defending <https://wildlife.org/newq/>

plants against ruminants: reduction in dry matter digestion. *Ecology* 68:1606–1615.
<https://doi.org/10.2307/1939852>

Spalinger, D. E., W. B. Collins, T. A. Hanley, N. E. Cassara, and A. M. Carnahan. 2010. The impact of tannins on protein, dry matter, and energy digestion in moose (*Alces alces*). *Canadian Journal of Zoology* 987:977–987. <https://doi.org/10.1139/Z10-064>

McArt, S. H., D. E. Spalinger, J. M. Kennish, and W. B. Collins. 2006. A modified method for determining tannin-protein precipitation capacity using Accelerated Solvent Extraction (ASE) and microplate gel filtration. *Journal of Chemical Ecology* 32:1367–1377.
<https://doi.org/10.1007/s10886-006-9089-9>

Goering, H. K., & Van Soest, P. J. 1970. Forage fiber analyses: apparatus, reagents, procedures, and some applications (No. 379). Agricultural Research Service, US Department of Agriculture. https://catalyst.library.jhu.edu/catalog/bib_4172452

Prosky, L., N.-G. Asp, I. Furda, J. W. Devries, T. F. Schweizer, and B. F. Harland. 1984. Determination of Total Dietary Fiber in Foods, Food Products, and Total Diets: Interlaboratory Study. *Journal of the Association of Official Analytical Chemists* 67:1044–1052. <https://doi.org/10.1093/jaoac/67.6.1044>

BODY CONDITION

Adamczewski, J.Z., C.C. Gates, R.J. Hudson, and M.A. Price. 1987. Seasonal changes in body composition of mature female caribou and calves (*Rangifer tarandus groenlandicus*) on an arctic island with limited winter resources. *Canadian Journal of Zoology*. 65(5): 1149–1157.
<https://doi.org/10.1139/z87-180>

Chan-McLeod, A.C.A., R.G. White, and D.E. Russell. 1995. Body mass and composition indices for female barren-ground caribou. *Journal of Wildlife Management*. 59(2): 278–291.
<https://doi.org/10.2307/3808941>

Cook, R. C., J. G. Cook, D. L. Murray, P. Zager, B. K. Johnson, and M. W. Gratson. 2001. Development of predictive models of nutritional condition for Rocky Mountain elk. *Journal of Wildlife Management* 65 973-987. <https://doi.org/10.2307/3803046>

Cook, R. C., J. G. Cook, D. L. Murray, P. Zager, B. K. Johnson, and M. W. Gratson. 2001. Nutritional condition models for elk: which are the most sensitive, accurate, and precise? *Journal of Wildlife Management* 65:988-997. <https://doi.org/10.2307/3803047>

<https://wildlife.org/newq/>

- Cook, R. C., J. G. Cook, T. R. Stephenson, W. L. Myers, S. M. McCorquodale, et al. 2010. Revisions of rump fat and body scoring indices for deer, elk, and moose. *Journal of Wildlife Management* 74:880–896. <https://doi.org/10.2193/2009-031>
- Cook, R. C., J. G. Cook, D.J. Vales, B.K. Johnson, S.M. McCorquodale, et al. 2013. Regional and seasonal patterns of nutritional condition and reproduction in elk. *Wildlife Monographs* 184: 1–45. <https://doi.org/10.1002/wmon.1008>
- Cook, R. C., J. A. Crouse, J. G. Cook, and T. R. Stephenson. 2021. Evaluating indices of nutritional condition for caribou (*Rangifer tarandus*): Which are the most valuable and why? *Can. J. Zool.* 99(7): 596–613. <https://doi.org/10.1139/cjz-2020-0149>
- Coltrane, J. A., S. Farley, P. S. Barboza, F. Kohl, R. Sinnott, and B. M. Barnes. 2011. Seasonal body composition, water turnover, and field metabolic rates in porcupines (*Erethizon dorsatum*) in Alaska. *Journal of Mammalogy* 92:601–610. <https://doi.org/10.1644/10-MAMM-A-262.1>
- Farley, S. D., and C. T. Robbins. 1994. Development of two methods to estimate body composition of bears. *Canadian Journal of Zoology* 72:220–226. <https://doi.org/10.1139/z94-029>
- Hilderbrand, G. V., S. D. Farley, and C. T. Robbins. 1998. Predicting body condition of bears via two field methods. *The Journal of Wildlife Management* 62:406. <https://doi.org/10.2307/3802306>
- Hilderbrand, G. V., and H. N. Golden. 2013. Body composition of free-ranging wolves (*Canis lupus*). *Canadian Journal of Zoology* 91:1–6. <https://doi.org/10.1139/cjz-2012-0205>
- McWilliams, S.R. and M. Whitman. 2013. Non-destructive techniques to assess body composition of birds: A review and validation study. *Journal of Ornithology* 154:597-618. <https://doi.org/10.1007/s10336-013-0946-3>
- Monteith, K. L., T. R. Stephenson, V. C. Bleich, M. M. Conner, B. M. Pierce, and R. T. Bowyer. 2013. Risk-sensitive allocation in seasonal dynamics of fat and protein reserves in a long-lived mammal. *Journal of Animal Ecology* 82:377-388. <https://doi.org/10.1111/1365-2656.12016>
- Pagano, A. M., K. D. Rode, and S. N. Atkinson. 2017. Evaluating methods to assess the body condition of female polar bears. *Ursus* 28:171–181. <https://doi.org/10.2192/URSU-D-16-00029.1>
- Rea, L. D., B. S. Fadely, S. D. Farley, J. P. Avery, W. S. Dunlap-Harding, et al. 2016. Comparing

<https://wildlife.org/newq/>

total body lipid content of young-of-the-year Steller sea lions among regions of contrasting population trends. *Marine Mammal Science* 32:1200–1218.

<https://doi.org/10.1111/mms.12327>

Shipley L.A., R.C. Cook, and D.G. Hewitt. 2020. Techniques for wildlife nutritional ecology. Pages 439–482 in N.J. Silvy (Ed.), *The Wildlife Techniques Manual*. Volume 1, Research Methods, eighth edition., John Hopkins University Press, Baltimore, MD, USA.

<https://jhupbooks.press.jhu.edu/title/wildlife-techniques-manual>

Shirane, Y., F. Mori, M. Yamanaka, M. Nakanishi, T. Ishinazaka, et al. 2020. Development of a noninvasive photograph-based method for the evaluation of body condition in free-ranging brown bears. *PeerJ* 8:e9982. <https://doi.org/10.7717/peerj.9982>

Stephenson, T. R., Hundertmark, K. J., Schwartz, C. C., Van Ballenberghe, V. 1998. Predicting body fat and body mass in moose with ultrasonography. *Canadian Journal of Zoology* 76: 717–722. <https://doi.org/10.1139/z97-248>

SCALING UP TO THE POPULATION, FOODSCAPES, LINKING HABITAT TO POPULATIONS

Babin, J.-S., D. Fortin, J.F. Wilmshurst, and M.-E. Fortin. 2011. Energy gains predict the distribution of plains bison across populations and ecosystems. *Ecology* 92:240-252.

<https://doi.org/10.1890/10-0252.1>

Bailey, D.W., J.E. Gross, E.A. Laca, L.R. Rittehouse, M.B. Coughenour, et al. 1996. Mechanisms that result in large herbivore grazing distribution patterns. *Journal of Range Management* 49:386-400. <https://repository.arizona.edu/handle/10150/644282>

Bastille-Rousseau, G., J. A. Schaefer, S. P. Mahoney, and D. L. Murray. 2013. Population decline in semi-migratory caribou (*Rangifer tarandus*): intrinsic or extrinsic drivers? *Canadian Journal of Zoology* 91:820–828. <https://doi.org/10.1139/cjz-2013-0154>

Cook, J.G., R. C. Cook, R. W. Davis, M. M. Rowland, R.M. Nielson, et al. 2018. Development and evaluation of a landscape nutrition model for elk in western Oregon and Washington. Pp. 13–30 in M.W. Rowland et al., *Modeling elk nutrition and habitat use in western Oregon and Washington*. *Wildlife Monographs* 199: 1–102. <https://doi.org/10.1002/wmon.1033>

DeGabriel, J.L., B.D. Moore, A.M. Felton, J.U. Ganzhorn, C. Stolter, et al. 2014. Translating nutritional ecology from the laboratory to the field: milestones in linking plant chemistry to population regulation in mammalian browsers. *Oikos* 123(3):298–308.

<https://doi.org/10.1111/j.1600-0706.2013.00727.x>

<https://wildlife.org/newq/>

- Forbey, J.S., R. Liu, T.T. Caughlin, M.D. Matocq, J.A. Vucetich, et al. 2018. Review: Using physiologically based models to predict population responses to phytochemicals by wild vertebrate herbivores. *Animal* 12: 383–398. <https://doi.org/10.1017/S1751731118002264>
- Hanley, T. A., and J. J. Rogers. 1989. Estimating carrying capacity with simultaneous nutritional constraints. Research Note PNW-RN-485. Pacific Northwest Research Station, U.S. Forest Service, Portland, Oregon, USA. <https://doi.org/10.2737/PNW-RN-485>
- Hanley, T. A., D. E. Spalinger, K. J. Mock, O. L. Weaver, and G. M. Harris. 2012. Forage resource evaluation system for habitat–deer: an interactive deer–habitat model. General Technical Report PNW-GTR-858. Pacific Northwest Research Station, U.S. Forest Service, Portland, Oregon, USA. 64 p. <https://doi.org/10.2737/PNW-GTR-858>
- Hobbs, N.T and T.A. Hanley. 1990. Habitat evaluation: do use/availability data reflect carrying capacity? *Journal of Wildlife Management* 54: 515–522. <https://doi.org/10.2307/3809344>
- Hobbs, N.T, and D.M. Swift. 1985. Estimates of habitat carrying capacity incorporating explicit nutritional constraints. *Journal of Wildlife Management* 49: 814–22. <https://doi.org/10.2307/3801716>
- Hobbs, N. T. 2003. Challenges and opportunities in integrating ecological knowledge across scales. *Forest Ecology and Management* 18:223–238. [https://doi.org/10.1016/S0378-1127\(03\)00135-X](https://doi.org/10.1016/S0378-1127(03)00135-X)
- Hurley, M.A., M. Hebblewhite, J.M. Gaillard, S. Dray, K.A. Taylor, et al. 2014. Functional analysis of normalized difference vegetation index curves reveals overwinter mule deer survival is driven by both spring and autumn phenology. *Philosophical Transactions of the Royal Society B* 369: 1–15. <https://doi.org/10.1098/rstb.2013.0196>
- Moen, R., Y. Cohen, and J. Pastor. 1998. Linking moose population and plant growth models with a moose energetics model. *Ecosystems* 152-63. <https://doi.org/10.1007/s100219900005>
- Moore, B. D., I. R. Lawler, I. R. Wallis, C. M. Beale, and W. J. Foley. 2010. Palatability mapping: a koala's eye view of spatial variation in habitat quality. *Ecology* 91(11): 3165-3176. <https://doi.org/10.1890/09-1714.1>
- Monteith, K. L., Bleich, V. C., Stephenson, T. R., Pierce, B. M. Conner, M. M., Kie, J. G., Bowyer, R. T. 2014. Life-history characteristics of mule deer: effects of nutrition in a variable environment. *Wildlife Monographs* 186: 1–61. <https://doi.org/10.1002/wmon.1011>

- Post, E., and M. C. Forchhammer. 2008. Climate change reduces reproductive success of an arctic herbivore through trophic mismatch. *Philosophical Transactions of the Royal Society B* 363:2369-2375. <https://doi.org/10.1098/rstb.2007.2207>
- Rowland, M.M., M.J. Wisdom, R.M. Nielson, J.G. Cook, R.C. Cook, et al. 2018. Modeling elk nutrition and habitat use in Western Oregon and Washington. *Wildlife Monographs* 199: 1–69. <https://doi.org/10.1002/wmon.1033>
- Searle, K. R., N. T. Hobbs, and I. J. Gordon. 2007. It’s the “foodscape”, not the landscape: using foraging behavior to make functional assessments of landscape condition. *Israel Journal of Ecology and Evolution* 53:297–316. <https://doi.org/10.1560/IJEE.53.3.297>
- Stephenson, T.R., D.W. German, M.E. Blum, M. Cox, K.M. Stewart, et al. 2020. Linking population performance to nutritional condition in an alpine ungulate. *Journal of Mammalogy*. <https://doi.org/10.1093/jmammal/gyaa091>
- Williams, C. K., B.D. Dugger, M.G. Brasher, J.M. Coluccy, D.M. Cramer, et al. 2014. Estimating habitat carrying capacity for migrating and wintering waterfowl: considerations, pitfalls and improvements. *Wildfowl* 4:407-435
<https://wildfowl.wwt.org.uk/index.php/wildfowl/article/view/2614>

POPULATION REGULATION – DENSITY DEPENDENT VERSUS DENSITY INDEPENDENT

- Boertje, R.D., Gardner, C.L., Ellis, M.M., Bentzen, T.W. and Gross, J.A. 2017. Demography of an increasing caribou herd with restricted wolf control. *Journal of Wildlife Management* 81: 429–448. <https://doi.org/10.1002/jwmg.21209>
- Caughley, G. 1970. Eruption of ungulate populations, with emphasis on Himalayan thar in New Zealand. *Ecology* 51(1): 53–72. <https://doi.org/10.2307/1933599>
- Caughley, G. 1976. Wildlife management and the dynamics of ungulate populations. *Appl. Biol.* 1: 183–246.
- Cook, J.G., R.C. Cook, R.W. Davis, and L.L. Irwin. 2016. Nutritional ecology of elk during summer and autumn in the Pacific Northwest. *Wildlife Monographs* 195(1): 1–81. <https://doi.org/10.1002/wmon.1020>
- Couturier, S., J. Brunelle, D. Vandal, and G. St–Martin. 1990. Changes in the population dynamics of the George River caribou herd, 1976–1987. *Arctic* 43(1): 9–20. <https://doi.org/10.14430/arctic1586>

- Crête, M., and R. Courtois. 1997. Limiting factors might obscure population regulation of moose (*Cervidae: Alces alces*) in unproductive boreal forests. *Journal of Zoology* 242(4): 765–781. <https://doi.org/10.1111/j.1469-7998.1997.tb05825.x>
- DeYoung, C.A., D.L. Drawe, T.E. Fulbright, D.G. Hewitt, S.W. Stedman, et al. 2008. Density dependence in deer populations: relevance for management in variable environments. *In* *Wildlife science: linking ecological theory and management applications*. Edited by T.E. Fulbright and D.G. Hewitt. CRC Press, Boca Raton, FL. pp. 203–222. <https://www.routledge.com/Wildlife-Science-Linking-Ecological-Theory-and-Management-Applications/Fulbright-Hewitt/p/book/9780367388959>
- DeYoung, C.A., T.E. Fulbright, D.G. Hewitt, D.B. Wester, and D.A. Draeger. 2019. Linking white-tailed deer density, nutrition, and vegetation in a stochastic environment. *Wildlife Monographs* 202(1): 1–63. <https://doi.org/10.1002/wmon.1040>
- Vucetich, J.A., and R.O. Peterson. 2004. The influence of top–down, bottom–up and abiotic factors on the moose (*Alces alces*) population of Isle Royale. *Proceedings of the Royal Society B* 271(1535): 183–189. <https://doi.org/10.1098/rspb.2003.2589>

SUSCEPTIBILITY

- Bender, L.C., J.G. Cook, R.C. Cook, and P.B. Hall. 2008. Relations between nutritional condition and survival of North American elk (*Cervus elaphus*). *Wildlife Biology* 14: 70–80. [https://doi.org/10.2981/0909-6396\(2008\)14\[70:RBNCAS\]2.0.CO;2](https://doi.org/10.2981/0909-6396(2008)14[70:RBNCAS]2.0.CO;2)
- Cook, R.C., J. Oyster, K. Mansfield, and R. B. Harris. 2021. Evidence of summer nutritional limitations in a northeastern Washington moose population. *Alces: A Journal Devoted to the Biology and Management of Moose*, 57: 23-46 <https://alcesjournal.org/index.php/alces/article/view/289/339>
- Horne, J.S., M.A. Hurley, C.G White, and J. Rachael. 2019. Effects of wolf pack size and winter conditions on elk mortality. *Journal of Wildlife Management* 83: 1103–1116. <https://doi.org/10.1002/jwmg.21689>
- Johnson, B.K., D.H. Jackson, R.C. Cook, D.A Clark, P.K. Coe, et al. 2019. Roles of maternal condition and predation in survival of juvenile elk in Oregon. *Wildlife Monographs* 201: 1–60. <https://doi.org/10.1002/wmon.1039>

STABLE ISOTOPES

- Carter, W., U. Bauchinger, S.R. McWilliams. 2019. The importance of isotopic turnover for understanding key aspects of animal ecology and nutrition. *Diversity* 11:1-20.
<https://doi.org/10.3390/d11050084>
- Carter, W. A., J. P. Whiteman, C. Cooper-Mullin, S. D. Newsome, and S. R. McWilliams. 2019. Dynamics of individual fatty acids in muscle fat stores and membranes of a songbird and its functional and ecological importance. *Physiological and Biochemical Zoology* 92(2): 239-251. <https://doi.org/10.1086/702667>
- Fry, B. 2006. *Stable Isotope Ecology*. Springer New York, NY. <https://doi.org/10.1007/0-387-33745-8>
- Hobson, K. 1999. Tracing origins and migration of wildlife using stable isotopes: a review. *Oecologia* 120: 314–326. <https://doi.org/10.1007/s004420050865>
- Hobson, K. A. 2023. Stable isotopes and a changing world. *Oecologia*.
<https://doi.org/10.1007/s00442-023-05387-w>
- Hobson, K. A., K. Jaatinen, and M. Öst. 2015. Differential contributions of endogenous and exogenous nutrients to egg components in wild Baltic Common Eiders (*Somateria mollissima*): A test of alternative stable isotope approaches. *The Auk* 132(3): 624-633.
- Hobson, K. A., and L. I. Wassenaar. 2019. Tracking animal migration with stable isotopes.
<https://doi.org/10.1016/C2017-0-01125-4>
- Karasov, W. H., & C. Martinez del Rio. 2007. Isotopic Ecology. In *Physiological Ecology: How Animals Process Energy, Nutrients, and Toxins*, pp. 433–478. Princeton University Press.
<https://doi.org/10.2307/j.ctvzsmfh4.12>
- Martinez del Rio, C., and B. O. Wolf. 2005. Mass-balance models for animal isotopic ecology. In *Physiological and ecological adaptations to feeding vertebrates*, pp. 141-174.
- Martinez del Rio, C., B. O. Wolf, and L. Z. Gannes. 2009. Isotopic ecology ten years after a call for more laboratory experiments. *Biological Reviews* 84(1):91-111.
<https://doi.org/10.1111/j.1469-185X.2008.00064.x>
- Michener, R., and K. Lajtha. 2007. *Stable isotopes in ecology and environmental science*.
<https://onlinelibrary.wiley.com/doi/book/10.1002/9780470691854>

<https://wildlife.org/newq/>

- O'Brien, D., C. Boggs, and M. Fogel. 2005. The amino acids used in reproduction by butterflies: A comparative study of dietary sources using compound-specific stable isotope analysis. *Physiological and Biochemical Zoology* 78: 819-827. <https://www.journals.uchicago.edu/doi/10.1086/431191>
- Podlesak, D. W., and S. R. Williams. 2006. Metabolic routing of dietary nutrients in birds: effects of dietary lipid concentration on $\delta^{13}\text{C}$ of depot fat and its ecological implications. *The Auk* 124(3): 916-925. <https://www.jstor.org/stable/25150347>
- Podlesak, D. W., S. R. McWilliams, and K. A. Hatch. 2005. Stable isotopes in breath, blood, feces and feathers can indicate intra-individual changes in the diet of migratory songbirds. *Oecologia* 142: 501–510. <https://doi.org/10.1007/s00442-004-1737-6>
- Stephens, R. B., O. N. Shipley, and R. J. Moll. 2023. Meta-analysis and critical review of trophic discrimination factors ($\Delta^{13}\text{C}$ and $\Delta^{15}\text{N}$): Importance of tissue, trophic level and diet source. *Functional Ecology* 37(9): 2535-2548. <https://doi.org/10.1111/1365-2435.14403>
- Winiarski, K. J., S. R. McWilliams, and R. F. Rockwell. 2012. Rapid environmental degradation in a subarctic ecosystem influences resource use of a keystone avian herbivore. *Journal of Animal Ecology* 81(5): 1132-1142. <https://doi.org/10.1111/j.1365-2656.2012.01981.x>

NUTRITIONAL GEOMETRY

- Behmer, S. T., and A. Joern. 2008. Coexisting generalist herbivores occupy unique nutritional feeding niches. *Proceedings of the National Academy of Sciences* 105(6): 1977-1982. <https://doi.org/10.1073/pnas.071187010>
- Felton, A. M., A. Felton, D. B. Lindenmayer, and W. J. Foley. 2009. Nutritional goals of wild primates. *Functional Ecology* 23(1): 70-78. <https://doi.org/10.1111/j.1365-2435.2008.01526.x>
- Felton, A. M., A. Felton, D. Raubenheimer, S. J. Simpson, S. J. Krizsan, P. O. Hedwall, and C. Stolter. 2016. The nutritional balancing act of a large herbivore: an experiment with captive moose (*Alces alces* L). *PLoS One*, 11(3): e0150870. <https://doi.org/10.1371/journal.pone.0150870>
- Hou, R., C. A. Chapman, J. M. Rothman, H. Zhang, K. Huang, S. Guo, B. Li, and D. Raubenheimer. 2021. The geometry of resource constraint: An empirical study of the golden snub-nosed monkey. *Journal of Animal Ecology* 90(3): 751-765. <https://doi.org/10.1111/1365-2656.13408>

<https://wildlife.org/newq/>

- Raubenheimer, D., G. E. Machovsky-Capuska, C. A. Chapman, and J. M. Rothman. 2015. Geometry of nutrition in field studies: an illustration using wild primates. *Oecologia* 177(1): 223-234. <https://doi.org/10.1007/s00442-014-3142-0>
- Rothman, J. M., D. Raubenheimer, and C.A. Chapman. 2011. Nutritional geometry: gorillas prioritize non-protein energy while consuming surplus protein. *Biology letters* 7(6): 847-849. <https://doi.org/10.1098/rsbl.2011.0321>
- Takahashi, M. Q., J. M. Rothman, D. Raubenheimer, and M. Cords. 2021. Daily protein prioritization and long-term nutrient balancing in a dietary generalist, the blue monkey. *Behavioral Ecology* 32(2): 223-235. <https://doi.org/10.1093/beheco/araa120>
- Uwimbabazi, M., D. Raubenheimer, M. Tweheyo, G.I. Basuta, N.L. Conklin-Brittain, R.W. Wrangham, and J.M. Rothman. 2021. Nutritional geometry of female chimpanzees (*Pan troglodytes*). *American Journal of Primatology* 83(7): e23269. <https://doi.org/10.1002/ajp.23269>